Author index

ALLI I. *see* FAIRBAIRN R.L.
ALLINSON D.W. *see* GRABBER J.H.
ARIAS J.E. *see* DOUGHERTY C.T.
ARMSTRONG A.C. and CASTLE D.A. Potential impacts of climate change on patterns of production and the role of drainage in grassland 50
ARMSTRONG A.C. *see also* TYSON K.C.

BARTHRAM G.T., GRANT S.A. and ELSTON D.A. The effects of sward height and nitrogen fertilizer application on changes in sward composition, white clover growth and the stock carrying capacity of an upland perennial ryegrass/white clover sward grazed by sheep for four years 326
BARTHRAM G.T. *see also* HUTCHINGS, N.J.
BOLTON G.R. *see* HUTCHINGS N.J., MORTON J.D.
BOUCQUÉ Ch.V. *see* FIEMS L.O.
BRADLEY N.W. *see* DOUGHERTY C.T.

CASTLE D.A. *see* ARMSTRONG A.C.
CHAMBERLAIN D.G., MARTIN P.A., ROBERTSON S. and HUNTER E.A. Effects of the type of additive and the type of supplement on the utilization of grass silage for milk production in dairy cows 391
CHESTNUTT D.M.B. Effect of sward surface height on the performance of ewes and lambs continuously grazed on grass/clover and nitrogen-fertilized swards 70
CHU A.C.P. *see* HOLMES C.W., HOOGENDOORN C.J.
CLELAND A.T. *see* SWIFT G.
COLLIER W.A. *see* HART A.L.
COLLINS M. *see* DOUGHERTY C.T.
COOK R., MIZEN K.A., PLOWRIGHT R.A. and YORK P.A. Observations on the incidence of plant parasitic nematodes in grassland in England and Wales 274
CORNELIUS P.L. *see* DOUGHERTY C.T.
COTTYN B.G. *see* FIEMS L.O.

DAMPNEY P.M.R. The effect of timing and rate of potash application on the yield and herbage composition of grass grown for silage 280
DAVIDSON KERRY *see* WOLEDGE JANE
DAVIES D.A., FOTHERGILL M. and MORGAN C.T. Assessment of contrasting perennial ryegrasses, with and without clover, under continuous sheep stocking in the uplands. 4. Animal performance in years 4–6 249
DAVIES D.A. *see also* MUNRO J.M.M.
DAVIES T.H. and RILEY JANET. Reseeding in the Falkland Islands. Herbage production of a range of grass species and cultivars 62
DE BRABANDER D.L. *see* FIEMS L.O.
DEMMENT M.W. *see* LACA E.A.
DENNIS W.D. *see* WOLEDGE JANE
DICKSON J.M. *see* SWIFT G.
DOUGHERTY C.T., BRADLEY N.W., LAURIAULT L.M., ARIAS J.E. and CORNELIUS P.L. Allowance–intake relations of cattle grazing vegetative tall fescue 211
DOUGHERTY C.T., COLLINS M., BRADLEY N.W., LAURIAULT L.M. and CORNELIUS P.L. The effects of poloxalene on ingestion by cattle grazing lucerne 180

ELSTON D.A. *see* BARTHRAM G.T.
EVANS D.R., WILLIAMS T.A. and EVANS S.A. Evaluation of white clover varieties under grazing and their role in farm systems 342
EVANS S.A. *see* EVANS D.R.
EVANS W.B. *see* MUNRO J.M.M.

FAIRBAIRN R.L., ALLI I. and PHILLIP L.E. Proteolysis and amino acid degradation during ensilage of untreated or formic acid-treated lucerne and maize 382
FIEMS L.O., BOUCQUÉ Ch.V., COTTYN B.G., MOERMANS R.J. and DE BRABANDER D.L. Effect of virginiamycin supplementation on the performance of young grazing cattle 36
FOTHERGILL M. *see* DAVIES D.A.

GARINO H. *see* PHILLIPS L.E.
GARWOOD E.A. *see* TYSON K.C.
GILLILAND T.G. and JOHNSTON J. Barley/pea mixtures as cover crops for grass re-seeds 1
GRABBER J.H. and ALLINSON D.W. Anatomical structure and digestibility of reed canarygrass cultivars and hybrid ryegrass 400
GRANT S.A. *see* BARTHRAM G.T.

HAIGH P.M. The effects of an acid salt-type additive on the fermentation of grass silages made in bunker silos on commercial dairy farms in Wales 353
HAINES M.J. *see* JACOBS M.J.
HART A.L. and COLLIER W.A. Nutrient efficiency and cellular contents of phosphorus and nitrogen in *Trifolium repens* and a diploid and tetraploid *Lotus uliginosus* 375
HODGSON J. *see* MORTON J.D.
HOLMES C.W., HOOGENDOORN C.J., RYAN M.P. and CHU A.C.P. Some effects of herbage composition, as influenced by previous grazing management, on milk production by cows grazing on ryegrass/white clover pastures. 1. Milk production in early spring: effects of different regrowth intervals during the preceding winter period 309
HOLMES C.W. *see also* HOOGENDOORN C.J.
HOOGENDOORN C.J., HOLMES C.W. and CHU A.C.P. Some effects of herbage composition, as influenced by previous grazing management, on milk production by cows grazing on ryegrass/white clover pastures. 2. Milk production in late spring/summer: effects of grazing intensity during the preceding spring period 316
HOOGENDOORN C.J. *see also* HOLMES C.W.
HUNTER E.A. *see* CHAMBERLAIN D.G.
HUTCHINGS N.J. Factors affecting sonic sward stick measurements: the effect of different leaf characteristics and the area of sward sampled 153
HUTCHINGS N.J., BOLTON G.R. and BARTHRAM G.T. Decision rules for controlling the sward

height of continuously grazed experimental pastures 41

JACOBS J.L., HAINES M.J. and McALLAN A.B. The effects of different protein supplements on the utilization of untreated, formic acid-treated or enzyme-treated silages by growing steers 121
JACOBS J.L. and McALLAN A.B. Protein supplementation of formic acid- and enzyme-treated silages. 1. Digestibilities, organic matter and fibre digestion 103
JACOBS J.L. and McALLAN A.B. Protein supplementation of formic acid- and enzyme-treated silages. 2. Nitrogen and amino acid digestion 114
JESS S. *see* GILLILAND T.G.
JONES B.A., SATTER L.D. and MUCK R.E. Influence of bacterial inoculant and substrate addition to lucerne ensiled at different dry matter contents 19
JONES L. Preliminary trials using a white clover (*Trifolium repens* L.) understorey to supply the nitrogen requirements of a cereal crop 366
JONES R.J. and LASCANO C.E. Oesophageal fistulated cattle can give unreliable estimates of the proportion of legume in the diets of resident animals grazing tropical pastures 128

LACA E.A., UNGAR E.D., SELIGMAN N.G., RAMEY M.R. and DEMMENT M.W. An integrated methodology for studying short-term grazing behaviour of cattle 81
LACA E.A., UNGAR E.D., SELIGMAN N. and DEMMENT M.W. Effects of sward height and bulk density on bite dimensions of cattle grazing homogeneous swards 91
LAIDLAW A.S. and McBRIDE JAN. The effect of time of sowing and sowing method on production of white clover in mixed swards 203
LAIDLAW A.S., TEUBER N.G. and WITHERS J.A. Out-of-season management of grass/clover swards to manipulate clover content 220
LANTINGA E.A. *see* NEUTEBOOM J.H.
LASCANO C.E. *see* JONES R.J.
LAURIAULT L.M. *see* DOUGHERTY C.T.
LEWIS G.C. Effect of ryegrass endophyte in mixed swards of perennial ryegrass and white clover under two levels of irrigation and pesticide treatment 302

MARTIN P.A. *see* CHAMBERLAIN D.G.
MARTINSSON K. Effects of conservation method and access time on silage intake and milk production in dairy cows 161
MARTINSSON K. A study of the efficacy of a bacterial inoculant and formic acid as additives for grass silage in terms of milk production 189
McALLAN A.B. *see* JACOBS J.L.
McBRIDE JAN *see* LAIDLAW A.S.
MIZEN K.A. *see* COOK R.
MOERMANS R.J. *see* FIEMS L.O.
MORGAN C.T. *see* DAVIES D.A.
MORRISON M.W. *see* SWIFT G.
MORTON J.D., BOLTON G.R. and HODGSON J. The comparative performance of *Holcus lanatus* and *Lolium perenne* under sheep grazing in the Scottish uplands 143
MOWAT D.J. and JESS S. The reduction of frit fly oviposition on seedling ryegrass by the presence of oats 14
MOWAT D.J. *see also* SHAKEEL M.A.
MUCK R.E. *see* JONES B.A.
MUNRO J.M.M., DAVIES D.A., EVANS W.B. and SCURLOCK R.V. Animal production evaluation of herbage varieties. 1. Comparison of Aurora with Frances, Talbot and Melle perennial ryegrasses when grown alone and with clover 259

NEUTEBOOM J.H., LANTINGA E.A. and VAN LOO E.N. The use of frequency estimates in studying sward structure 358

PARSONS A.J. *see* WOLEDGE JANE
PHILLIP L.E., UNDERHILL L. and GARINO H. Growth performance, appetite and plasma ammonia concentrations in heifers fed inoculated lucerne prior to ensilage, then supplemented with sodium bicarbonate 28
PHILLIP L.E. *see also* FAIRBAIRN R.L.
PLOWRIGHT R.A. *see* COOK R.

RAMEY M.R. *see* LACA E.A.
REYNERI A. *see* WOLEDGE JANE
RILEY JANET *see* DAVIES T.H.
ROBERTSON S. *see* CHAMBERLAIN D.G.
RYAN M.P. *see* HOLMES C.W.

SATTER L.D. *see* JONES B.A.
SCHOLEFIELD D. *see* TYSON K.C.
SCURLOCK R.V. *see* MUNRO J.M.M.
SELIGMAN N.G. *see* LACA E.A.
SHAKEEL M.A. and MOWAT D.J. The potential transmission of clover rot, *Sclerotinia trifoliorum* Erikss., by slugs 199
SMITH-TAYLOR C.A.B. *see* SWIFT G.
STEEN R.W.J. The performance of beef cattle given silages made from perennial ryegrasses of different maturity groups, cut on different dates 239
SWIFT G., MORRISON M.W., CLELAND A.T., SMITH-TAYLOR C.A.B. and DICKSON J. M. Comparison of white clover varieties under cutting and grazing 8

TEUBER N.G. *see* LAIDLAW A.S.
TEWSON VERONICA *see* WOLEDGE JANE
THOMAS R.J. The role of the legume in the nitrogen cycle of productive and sustainable pastures 133
THORVALDSSON G. The effects of temperature on digestibility of timothy grass (*Phleum pratense* L.), tested in growth chambers 306
TYSON K.C., GARWOOD E.A., ARMSTRONG A.C. and SCHOLEFIELD D. Effects of field drainage on the growth of herbage and the liveweight gain of grazing beef cattle 290

UNDERHILL L. *see* PHILLIPS L.E.
UNGAR E.D. *see* LACA E.A.

VAN LOO E.N. *see* NEUTEBOOM J.H.

WILLIAMS T.A. *see* EVANS D.R.
WITHERS J.A. *see* LAIDLAW A.S.
WOLEDGE JANE, DAVIDSON KERRY and DENNIS W.D. Growth and photosynthesis of tall and short cultivars of white clover with tall and short grasses 230
WOLEDGE JANE, REYNERI A., TEWSON VERONICA and PARSONS A.J. The effect of cutting on the proportions of perennial ryegrass and white clover in mixtures 169

YORK P.A. *see* COOK R.